

SIEGENIA Innovations for you:

KFV AS 3600 TA

with integrated daytime release

Our benefits³:

- ➊ Reliable, automatic locking and unlocking of front and entrance doors
- ➋ Integrated daytime release for keyless opening
- ➌ Burglar resistance up to RC2 in accordance with DIN EN 1627-1630

Security and more.

The principle of the AS 3600 automatic lock is just as simple as it is effective: As soon as both automatic falling bolts in the auxiliary lock cases are activated by the mechanical trigger, they initiate the closing process and, in doing so, lock out to 20 mm. At the same time, two hook bolts grip into the frame parts. Suitable for installation in elements in accordance with DIN EN 1627–1630 up to resistance class RC2.

Great versatility with accessories

Ease of use and quick access to the outside without the use of a key are achieved by an optional daytime release, integrated into the main deadbolt. In combination with the KfV day latch or an E-opener, this allows you to go back into the building merely by pushing the door due to the temporary deactivation of the automatic function.

The daytime release is activated by holding down the lever handle and by pushing down the sliding lever in the main lock bolt. In addition, the latch of the multi-point lock must be released via the daytime release function e.g. a KfV day latch 115A/B or an E-opener on the frame side.

Moreover, great versatility is offered by the AS 3600 due to a variety of additional features such as, for example, the door arrester, which provides protection against unauthorised access. It can easily be blocked from the inside via the swivel knob. Unlocking from the outside by key is also possible if desired. Pure ease of operation and security is provided by an optional A-opener. It carries out the opening process fully electromechanically. Whether your choice is via fingerprint scanner or via mobile phone with KfVkeyless, all wishes can be met around the topic of access control.

Effective,
safe,
convenient.

Benefits for fabricators

- Back pressure secured automatic falling bolt and hook bolt
- Can be used DIN right or DIN left by switching the main lock latch and both automatic falling bolts
- Significant time and cost savings in production
- Daytime release integrated in the main deadbolt (can be retrofitted or preassembled at the factory)
- Can be combined with the KfV day latch or the E-opener in the frame part – to activate the daytime release
- Further equipment possible


Benefits for end users

- Burglar resistance up to RC2 in accordance with DIN EN 1627-1630
- Insurance coverage as soon as you close the door
- Main lock and automatic falling bolt with maintenance-free soft-lock latch
- Locking elements at the top and bottom protect the door against warping
- Optional, integrated daytime release for keyless opening
- The automatic function can be deactivated via a blocking lever in the main lock bolt
- Large range of features


Maximum user friendliness.



Burglar resistance
up to RC2



The AS 3600 automatic lock for timber, metal and PVC doors combines security with convenient operation.



Integrated daytime release
for keyless opening



SIEGENIA[®]

brings spaces to life

A company of the SIEGENIA GROUP
KFV Karl Fliether GmbH & Co. KG
Siemensstraße 10
42551 Velbert
GERMANY

Phone: +49 2051 278-0
Fax: +49 2051 278-167
info@siegenia.com
www.siegenia.com



For international locations, please visit:
www.siegenia.com

SIEGENIA worldwide:

Austria Phone: +43 6225 8301

Belarus Phone: +375 17 3143988

Benelux Phone: +31 85 4861080

China Phone: +86 316 5998198

France Phone: +33 3 89618131

Germany Phone: +49 271 39310

Great Britain Phone: +44 2476 622000

Hungary Phone: +36 76 500810

Italy Phone: +39 02 9353601

Poland Phone: +48 77 4477700

Russia Phone: +7 495 7211762

South Korea Phone: +82 31 7985590

Switzerland Phone: +41 33 3461010

Turkey Phone: +90 216 5934151

Ukraine Phone: +380 44 4054969

Contact your dealer: